



Contribution ID: 132

Type: **Poster**

DFTB study of Li_xTiO_2 with trigonal bipyramid structures: an insight into lithium-ion battery anode materials

In lithium-ion battery, graphite is a widely used anode material, but it has some disadvantages as compare to TiO_2 nanoparticles anode such as electrical disconnection, structural deformation, and initial loss of capacity. The choice of the anode material is very important for an effective development of a high energy density batteries and the use of high capacity electrode materials (anode & cathode) is an essential factor.

The computational simulation calculations have been performed at CHPC (Lengau) for our systems using 48 cores. The TiO_2 trigonal bipyramid (TB) structures anode is a material that conducts electric current and they do not expand to more than 5% their original volume during charging and shrink again during discharge. Given these exciting properties, it becomes necessary not only to synthesize such solid-state and molecular systems but also to model their properties at an appropriate size and time scale. In this work we study TiO_2 polymorphs (bulk and nanospheres) in an effort to understand how the DFTB+ potentials influence structural parameters and electronic properties. Our structural and electronics parameters are in good agreement with the experimental results.

Supported Student

Primary authors: GANDAMIPFA, Mulatedzi (University of Limpopo); NGOEPE, Phuti (University of Limpopo)

Presenter: GANDAMIPFA, Mulatedzi (University of Limpopo)

Session Classification: SIG Poster

Track Classification: SIG Seminar: Chemistry, Material Science and Health Science