



Contribution ID: 124

Type: **Talk**

Computational study of anatase TiO₂ as an anode material energy storage devices

Monday, 4 December 2017 11:50 (20 minutes)

The increasing demand for powering systems of portable electronic devices and zero-emission vehicles stimulates research towards high energy and high voltage systems is a challenge. Given these exciting properties, it becomes necessary not only to synthesize such solid-state and molecular systems but also to model their properties at an appropriate size and time scale. In this work we have predicted the structural parameters for TiO₂ polymorphs and these parameters were found to be in agreement with an experimental data. We also calculated the band gap energies, predicted band structures and density of states for these polymorphs in an effort to validate the DFTB+ potentials. The geometry optimizations were performed using DFTB+ potentials that we derived. Moreover, these properties will determine which TiO₂ polymorph can be used as an anode material in future storage devices.

HPC content

CHPC(Lengau) have been used in most of my PhD calculations. I used DFTB+ which is an implementation of the Density Functional based Tight Binding (DFTB) method within material studio(Biovia). DFTB+ offers an approximate density functional theory based quantum simulation tool with functionalities similar to ab initio quantum mechanical packages while being one or two orders of magnitude faster. When optimizing the structure of molecules and solids at CHPC, my calculation were faster as compare to the ones that I ran locally.

Primary author: Mr GANDAMIPFA, Mulatedzi (University of Limpopo)

Co-author: Prof. NGOEPE, Phuti (University of Limpopo)

Presenter: Mr GANDAMIPFA, Mulatedzi (University of Limpopo)

Session Classification: Material Science

Track Classification: Materials Science & Physics