



Contribution ID: 110

Type: **Talk**

Beyond Li-ion: Computational Modelling Studies on Stability of Li-S-Se System

Monday, 4 December 2017 14:40 (20 minutes)

Recent rechargeable batteries are mainly based on conventional lithium intercalation chemistry, using lithium transition metal oxides as cathode material with typical capacities of 120-160 mA.h/g. The low energy density and/ or high cost of these cathode materials have limited their large scale production and application in Li ion batteries. Exploration of new cathode materials is consequently necessary to realise more efficient energy storage systems. Lithium sulphur cells have a promise of providing 2-5 times the energy density of Li-ion cells, however, they suffer poor cycling performance. Improvements that are effected by using Li/SeS_x system in different electrolytes have been reported.

In the current study we employ computational modelling methods to explore stability, structural and electronic properties of discharge products formed in the Li/SeS_x battery, which has potential to offer higher theoretical specific energy and remedies the challenges that Li-S battery encounters. First principle methods were used to calculate thermodynamic properties of Li₂S and Li₂Se, which agreed with available experimental results. A cluster expansion technique generated new stable phases of Li/S₂Se_x system and Monte Carlo simulations determined concentration and temperature ranges in which the systems mix. Interatomic Born Meyer potential models for Li₂S and Li₂Se were derived and validated and used to explore high temperature structural and transport properties of mixed systems.

HPC content

The force-fields derived in this study for both Li-S and Li-Se systems were validated through molecular dynamics utilizing high performance computing facility at CHPC.

Furthermore the on mixed Li-S-Se system was conducted at CHPC utilizing cluster expansion and monte carlo simulations. A further study was conducted to benchmarking University of Limpopo: Materials Modelling Centre local cluster and CHPC cluster, it further showed CHPC cluster has assisted us bu reducing time on our calculation.

Primary author: Mr MASEDI, Clifton (CSIR/UL)

Co-authors: Dr SITHOLE, Happy (CHPC); Prof. NGOEPE, Phuti (UL)

Presenter: Mr MASEDI, Clifton (CSIR/UL)

Session Classification: Material Science

Track Classification: Materials Science & Physics